


IP-COM Whole-Home Gigabit Wi-Fi Networking Solution

——Large suite scenarios up to 4 rooms






- 1. Requirements
- 2. Solutions
- 3. Benefits
- 4. Recommendations

1. Requirements of large suite scenarios






1. Requirements Summary

World Wide Wireless

1 Gaming, calling and watching video without latency



3 All smart home devices can connect to WiFi



2 WiFi coverage to every corner



4 Small size with pleasant appearence






- 1. Requirements
- 2. Solutions
- 3. Benefits
- 4. Recommendations

2. Solutions—General Design






2. Solutions—Network topology



• Large suites up to 150m²

- A in-wall AP each room
- Put Router in low voltage silo
- In-wall AP powered by PoE router through Ethernet cable




2. Solutions—Key Locations Network Deployment



low voltage silo

M20-PoE's ultra-small body fits any tiny low voltage silo. Its full gigabit ports meet the bandwidth needs of large houses.



2. Solutions—Key Locations Network Deployment



Bedroom, living room, study room

One AP covers one room, which provides stable and fast wifi to ensure smooth gaming and streaming experience without latency. 86 type mounting box can be perfectly integrated into different decorative styles

W36AP: 86 type mounting box, multiple colour available, dual-band wireless rate up to 1167 Mbps.;



Pro-6-IW: Easy installation without any tools; also supports 86 type mounting box installation; wireless rate up to 3000Mbps



- 1. Requirements
- 2. Solutions
- 3. Benefits
- 4. Recommendations




Benifit 1: Integrated Router, AC Controller and PoE Power Supply, easy to install and manage



Full-featured and Cost-saving

No need for an AC controller and PoE switch, much lower solution cost.






Benifit 2: Smart AP Management, Plug and play



Function design: The device provides an easy to use management web page and the network configuration can be done in less than 5 minutes. The device supports Smart AP Management, wireless configurations are automatically extend to the new AP when network topology has changed(replaced or added)






Benifit 3: Seamless roaming, WiFi on the go



Smooth WiFi switching, network in every corner

W36AP supports 802.11v/r seamless roaming protocol and automatic nodes switching, with roaming speed of up to 50ms between different nodes in multi-point deployment scenarios.







Benifit 4: Intelligent bandwidth management to ensure each person has good connection



Value: The router performs intelligent bandwidth management according to the bandwidth usage rate. Effectively solves the problem of a device occupying all network resources and improves the network experience.








Benifit 5: Gigabit Bandwidth



Full Gigabit wireless network to unleash every megabit of your bandwidth

Connected gigabit ports with dual-band gigabit Aps, enhance the performance of network experience.






Benifit 6: Quick set-up wizard, Plug and Play


Quick set-up wizard, no engineering experience required



Installation: A quick setup wizard automatically pops up when you connect to Wi-Fi, so you can complete network setting in two easy steps.

Maintenance: APP & Cloud platform ensure real-time project status monitoring, aftersales maintenance and remote operation.







- 1. Requirements
- 2. Solutions
- 3. Benefits
- 4. Recommendations

4. Recommendations ——Cost-effective Wi-Fi 5 solution



Scene	Device	Model	Image	Features	Layer
Low voltage silo	Router	M20-PoE	Service and the service and th	5*Gigabit Ethernet ports, 4*PoE ports	Core layer
Bedroom, Living room, Study room	In-wall AP	W36AP	19-C04	300Mbps+867Mbps2*Gigabit Ethernet ports18dBm+16dBm	Access layer

4. Recommendations ——High Performance Wi-Fi6 Solution



Scene	Device	Model	Image	Features	Layer
Low voltage silo	Router	M20-PoE		5*Gigabit Ethernet ports, 4*PoE ports	Core layer
Bedroom, Living room, Study room	In-wall AP	Pro-6-IW	the Control	 574Mbps+2402Mbps 2*Gigabit Ethernet ports 20dBm+20dBm 	Access layer

IP-COM / THANKS

WORLD WIDE WIRELESS